

## SOCKS PACKAGING

BAGGING MACHINE FOR MULTIPAIR SOCKS OR OTHER PRODUCTS

AUTOBAGGER





## SOCKS BOARDING AUTOBAGGER

The operator loads the socks onto the feeding belt and a mechanical system piles up the socks and inserts them into the bag. The bags are closed by means of two electric welding bars. This bagging machine is equipped with a double magazine for bags with automating shifting, this allows a continuous feeding of bags, avoiding stops and increasing productivity. The products loading station can be placed in three different ways: automatic in line loading, manual right loading and manual left loading.

# SOCKS BOARDING AUTOBAGGER

Specifications	Values
Dimensions	2.150 x 2.325 x 1.815 (h)
Net weight	Kg 550
Operators	Nº 1-2
Min cycle	6 Sec.
Bag type	3-12 Pair
Air pressure	6 Bar
Air max consumption	3 M <sup>3</sup> /h
Installed power	0,5 Kw

Features
Enamelled steel plated structure
PLC for the electronic control of all major function
Electronic self-diagnosis with visualized errors or malfunctions
Touch screen display for machine setting



# TECNOPEA



TECNOPEA S.R.L.

Via Don Eridano Torri, 2

25027 Quinzano d'Oglio, Brescia - Italy

Tel.: +39 030 992 3780 - Fax: +39 030 9923996

info@tecnopea.com - www.tecnopea.com